Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(("5749024") or ("6104498") or ("5442732")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 14:37
L1	12167	(358/1.1, 358/1.9, 358/1.11, 358/1.15).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 13:45
L2	188	(driver) same (acknowledg$5) adj4 (request$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 13:45
L3	2	1 and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 13:45
S1	2	("20020101601").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 17:02
S2	4	(("20040012807") or ("6549947")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 13:50
S3	3	("20010011795").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:12
S4	3	("6400462").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:23
S5	2	("20020075508").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:33

S6	2	("5995723").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:36
S7	2	("5862321").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 18:35
S8	2	("6519048").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 09:55
S9	109	(ACK with ARQ with NACK)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:38
S10	21	S9 and @ad<"20010126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:00
S11	2	(acknowledg$5 adj2 (request$5 reply$5)) with (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:52
S12	72	(acknowledg$5 adj2 (request$5 reply$5)) and (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:53
S13	70	S12 not S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:52
S14	35	S13 and @ad<"20010126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 17:48
S15	5	(acknowledg$5 adj2 (request$5 reply$5)) same (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 15:12

S16	2	("20040012807").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/14 17:04
S17	1	(print$5 adj2 driver) with (send$5 transmit$5) with (until$5) with (acknowledg$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/14 17:05
S18	3	(print$5 adj2 driver) with (acknowledg$5) adj4 (request$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/14 17:06
S19	5	(print$5 adj2 driver) same (acknowledg$5) adj4 (request$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/14 17:07
S20	188	(driver) same (acknowledg$5) adj4 (request$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/14 17:08
S21	183	S20 not S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/14 17:07
S22	114	S21 and @ad<"20010126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/14 17:08
S23	201	(print$5) same (acknowledg$5) adj4 (request$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/14 17:08
S24	153	S23 and @ad<"20010126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/14 17:47
S25	1	(print$5 adj2 request$5) with (acknowledg$5) with until$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/14 17:47

S26	15	(acknowledg$5 adj2 reply$5) same print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/14 17:47
S27	5	S26 and @ad<"20010126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/14 17:47
S28	2	("5872895").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/14 18:15
S29	1	(print$5 adj2 driver$5) with (acknowledg$5 adj2 (request$5 reply)) and (rasterizers$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/14 18:16
S30	2	(print$5 adj2 driver$5) with (acknowledg$5 adj2 (request$5 reply))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/14 18:16
S31	5	(print$5 adj2 driver$5) same (acknowledg$5 adj2 (request$5 reply))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/14 18:16
S32	36	("4651278").URPN.	USPAT	OR	ON	2005/05/16 13:16
S33	2	("20010043761").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:17
S34	2	("6393164").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:18
S35	2	("6101263").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:40
S36	2	("6113208").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:41

S37	2	("5580177").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 13:41
S38	2	("20010043761").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 16:29
S39	2	("6101263").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 16:33
S40	7	(repl$5 adj2 before$5 with complet$5) same print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 16:36
S41	6	acknowled$5 near2 (reply$5 request$5 return$5) with (before$5 prior$5) with (initial$5 adj2 check$5 print$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:00
S42	41	acknowled$5 near2 (reply$5 request$5 return$5) same (before$5 prior$5) same (initial$5 adj2 check$5 print$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:02
S43	35	S42 not S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:02
S44	21	S43 and @ad<"20010126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:02
S45	478	acknowled$5 near2 (reply$5 request$5 return$5) same. (before$5 prior$5) same (complet$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:02
S46	75	acknowled$5 near2 (reply$5 request$5 return$5) with (before$5 prior$5) with (complet$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:02

S47	74	S46 not S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:02
S48	57	S47 and @ad<"20010126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:07
S49	5	print$5 with (acknowledg$5 adj2 (return$5 repl$5)) with befor$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:06
S50	5	print$5 same (acknowledg$5 adj2 (return$5 repl$5)) same befor$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:06
S51	5	print$5 same (acknowledg$5 adj2 (return$5 repl$5 status$2)) same befor$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:06
S52	8	print$5 same (status$2 adj2 (return$5 repl$5)) with befor$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:08
S53	7	S52 and @ad<"20010126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:08
S54	83	return$5 adj2 (status$5 information$5 reply$2 acknowledg$5) with (before$5 subsequent$5) with (complet$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:08
S55	58	S54 and @ad<"20010126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 19:53
S56	1964	(repl$5 return$5) with before$5 with check$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:10

S57	52	(repl$5 return$5) with before$5 with check$5 with print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:10
S58	31	S57 and @ad<"20010126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 19:43
S59	1	(acknowledg$5 adj2 (reply$5 return$5)) with (befor$5 after$5) with (rasteriz$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 19:44
S60	0	(reply$5 adj2 after$5 adj2 receiv$5) with printer$5 adj2 driver$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 19:45
S61	2	(reply$5 near4 (after$5 before$5)) with printer$5 adj2 driver$5 with (check$5 receive$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 19:46
S62	2	(receipt$5 reply$5) with (befor$5 after$2) with (syntax$5 adj2 check$5) with print$5 adj2 driver$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 19:49
S63	2	("5898823").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 19:51
S64	1	reply$5 with before$5 with rasteriz$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 19:51
S65	2	reply$5 same before$5 same rasteriz$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 19:52
S66	62	(acknowledg$5 adj2 (reply$5 return$5)) same print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 19:53

S67	38	S66 and @ad<"20010126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 19:53
S68	3	("6671066").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 20:01
S69	1	(print$5 adj2 data$5) with (error$5 near4 syntax$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:51
S70	4	(print$5 adj2 data$5) same (error$5 near4 syntax$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 13:51
S71	2	("6549947").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:41
S72	0	(re adj2 (send$5 transmit$5)) with (syntax$5 near4 error$5) with print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:29
S73	0	(re adj2 (send$5 transmit$5)) with (syntax$5 near4 error$5) sameprint$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:29
S74	0	(re adj2 (send$5 transmit$5)) with (syntax$5 near4 error$5) same print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:29
S75	0	(re adj2 (send$5 transmit$5)) same (syntax$5 near4 error$5) same print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:29
S76	0	(re adj2 (send$5 transmit$5)) same (syntax$5 with error$5) same print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:29

S77	372	(check$5 adj2 print$5 adj2 data$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:41
S78	12	(check$5 adj2 print$5 adj2 data$5) with (syntax$5 error$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:44
S79	2	JP-09198207-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:44
S80	2	("20020101601").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 15:53
S81	2	("6441919").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 17:43
S82	6	(buffer$5 spool$5) adj4 befor$5 adj4 rasteriz$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 17:48
S83	7	(buffer$5 spool$5) adj8 befor$5 adj8 rasteriz$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 17:48
S84	1	S83 not S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 17:48
S85	64	(buffer$5 spool$5) with befor$5 with rasteriz$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 17:50
S86	39	S85 and @ad<"20010126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 17:51

S87	100	(buffer$5 spool$5) with after with rasteriz$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 17:50
S88	66	S87 and @ad<"20010126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 17:53
S89	50	buffer$5 adj4 after$5 with raster$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 17:55
S90	38	S89 and @ad<"20010126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 17:56
S91	62	buffer$5 adj4 before with raster$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 17:55
S92	50	S91 and @ad<"20010126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 19:14
S93	2	ep-820004-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 13:44